

ตารางแสดงวงเงินงบประมาณที่ได้รับจัดสรรและราคากลาง(ราคาอ้างอิง)
ในการจัดซื้อจัดจ้างที่มีใช้งานก่อสร้าง

๑. ชื่อโครงการ..... การจัดหา Galley Equipment สำหรับโครงการเรือตรวจการณ์ไกลฝั่ง
กิจกรรม..... การจัดหา Galley Equipment จำนวน ๓ รายการ สำหรับโครงการเรือตรวจการณ์ไกลฝั่ง
/หน่วยงานเจ้าของโครงการ สำนักโครงการเรือตรวจการณ์ไกลฝั่ง ลำที่ ๒ บริษัท กรุงเทพมหานคร จำกัด
๒. วงเงินงบประมาณที่ได้รับจัดสรร ๑,๐๑๖,๕๐๐ บาท (รวมภาษีมูลค่าเพิ่ม ๗%)
๓. วันที่กำหนดราคากลาง (ราคาอ้างอิง) วันที่ ๐ 9 ส.ย. 2560
เป็นเงิน ๙๙๙,๓๘๐ บาท (รวมภาษีมูลค่าเพิ่ม ๗%)
๔. แหล่งที่มาของราคากลาง (ราคาอ้างอิง)
จากการสืบราคาปัจจุบัน จากบริษัทมีอาซีพขาย ดังนี้
 - ๔.๑ บริษัท เอส เค เครื่องครัวสเตนเลส จำกัด
 - ๔.๒ บริษัท อีเอสซี (ไทยแลนด์) จำกัด
 - ๔.๓ บริษัท เจ.เอ็น.พี. เอ็นจิเนียริง จำกัด
๕. รายชื่อเจ้าหน้าที่ผู้กำหนดราคากลาง (ราคาอ้างอิง)

๕.๑ นายวิทยา	เลิศบัวสิน	ปฏิบัติหน้าที่หัวหน้าแผนกบริหารงานพัสดุ
๕.๒ นายธนาพิพัฒน์	วุฒิวังศ์	พนักงานพัสดุ ๑

รายละเอียด ข้อกำหนดและขอบเขตงาน
การจัดซื้อ Galley Equipment สำหรับโครงการเรือตรวจการณ์ไกลฝั่ง

1. วัตถุประสงค์

บริษัท กรุงเทพมหานคร จำกัด มีความประสงค์ดำเนินการจัดซื้อ Galley Equipment จำนวน 3 รายการหลัก (ย่อย 13 รายการ) เพื่อส่งมอบให้กับกองทัพเรือ สำหรับใช้ในการสร้างเรือตรวจการณ์ไกลฝั่ง

2. ข้อกำหนดความต้องการ

2.1 Galley Equipment จำนวน 3 รายการหลัก ตามรายละเอียดคุณลักษณะเฉพาะตามผนวก ก ที่แนบ

2.2 เป็นของใหม่ ไม่เก่าเก็บ และไม่เคยใช้งานมาก่อน

3. ข้อกำหนดในการเสนอราคา

3.1 ราคาที่เสนอเป็นราคารวมภาษีมูลค่าเพิ่ม ภาษีอื่น ๆ และค่าใช้จ่ายอื่นใดทั้งสิ้นทั้งปวง ตลอดจนค่าขนส่งถึง อุทยานวิมิตตอลดสุดเดช อำเภอสัตหีบ จังหวัดชลบุรี

3.2 ผู้เสนอราคาต้องเสนอราคาต่อหน่วยของแต่ละรายการ ราคารวมแต่ละรายการ ราคารวมทุกรายการ จำนวนภาษีมูลค่าเพิ่มของราคารวมทุกรายการ และราคารวมทั้งสิ้น

3.3 ผู้เสนอราคาต้องเสนอราคาครบทุกรายการ ทางบริษัทฯ จะไม่แยกซื้อ โดยพิจารณาจัดซื้อจากผู้ที่เสนอราคารวมทั้งสิ้นต่ำสุด ซึ่งดำเนินการถูกต้องตามที่ทางบริษัทฯ กำหนด

3.4 ทางบริษัทฯ ทรงไว้ซึ่งสิทธิที่จะไม่รับราคาใดราคาหนึ่ง หรือราคาที่เสนอทั้งหมดก็ได้ หรืออาจยกเลิกโดยไม่พิจารณาจัดหาเลยก็ได้แล้วแต่จะพิจารณา และให้ถือว่าการตัดสินใจของทางบริษัทฯ เป็นเด็ดขาด ผู้เสนอราคาจะเรียกร้องค่าเสียหายใด ๆ มิได้

4. คุณสมบัติของผู้เสนอราคา

4.1 ผู้เสนอราคาต้องเป็นผู้มีอาชีพขาย

4.2 ผู้เสนอราคาต้องไม่เป็นผู้ที่ถูกระบุชื่อไว้ในบัญชีรายชื่อผู้ทำงานของทางราชการและได้แจ้งเวียนชื่อแล้ว หรือไม่เป็นผู้ที่ได้รับผลของการสั่งให้นิติบุคคลหรือบุคคลอื่นเป็นผู้ทำงานตามระเบียบของทางราชการ

4.3 บุคคลหรือนิติบุคคลที่จะเข้าเป็นคู่สัญญา ต้องไม่อยู่ในฐานะเป็นผู้ไม่แสดงบัญชีรายรับรายจ่าย หรือแสดงบัญชีรายรับรายจ่ายไม่ถูกต้องครบถ้วนในสาระสำคัญ

4.4 บุคคลหรือนิติบุคคลที่จะเข้าเป็นคู่สัญญากับหน่วยงานของรัฐ ซึ่งได้ดำเนินการจัดซื้อจัดจ้างด้วยระบบอิเล็กทรอนิกส์ (e-Government Procurement : e-GP) ต้องลงทะเบียนในระบบอิเล็กทรอนิกส์ของกรมบัญชีกลางที่เว็บไซต์ศูนย์ข้อมูลจัดซื้อจัดจ้างภาครัฐ

4.5 ผู้เสนอราคาที่จะเข้าเป็นคู่สัญญา ต้องรับจ่ายผ่านบัญชีธนาคาร เว้นแต่การจ่ายเงินแต่ละครั้งซึ่งมีมูลค่าไม่เกินสามหมื่นบาท คู่สัญญาอาจรับจ่ายเป็นเงินสดก็ได้

5. หลักฐานประกอบการพิจารณา

5.1 หลักฐานทางด้านคุณสมบัติของผู้เสนอราคา

- 5.1.1 สำเนาหนังสือรับรองการจดทะเบียนนิติบุคคล พร้อมรับรองสำเนาถูกต้อง
- 5.1.2 สำเนาหนังสือบริษัทสนธิ พร้อมรับรองสำเนาถูกต้อง
- 5.1.3 สำเนาทะเบียนพาณิชย์ พร้อมรับรองสำเนาถูกต้อง
- 5.1.4 สำเนาใบทะเบียนภาษีมูลค่าเพิ่ม พร้อมรับรองสำเนาถูกต้อง
- 5.1.5 สำเนาหนังสือรับรองตราประทับ พร้อมรับรองสำเนาถูกต้อง
- 5.1.6 สำเนาบัญชีรายชื่อหุ้นส่วนผู้จัดการ กรรมการผู้จัดการ ผู้มีอำนาจควบคุมและบัญชีรายชื่อผู้ถือหุ้นรายใหญ่ พร้อมรับรองสำเนาถูกต้อง
- 5.1.7 หนังสือมอบอำนาจ ในกรณีที่ผู้เสนอราคา มอบอำนาจให้บุคคลอื่นยื่นข้อเสนอราคาแทน หรือมอบอำนาจให้บุคคลอื่นลงนามในข้อเสนอราคาแทน หรือมอบอำนาจในกรณีอื่นๆ ซึ่งปิดอากรแสตมป์ตามกฎหมาย พร้อมสำเนาบัตรประจำตัวประชาชน หรือสำเนาหนังสือเดินทาง และสำเนาทะเบียนบ้านของผู้มอบอำนาจและผู้รับมอบอำนาจ พร้อมรับรองสำเนาถูกต้อง
- 5.1.8 สำเนาเอกสารแสดงคุณสมบัติของผู้เสนอราคา ตามข้อ 4.3 โดยจะต้องเสนอเอกสารแต่งตั้งการเป็นผู้แทนจำหน่าย

5.2 หลักฐานทางด้านคุณลักษณะทางเทคนิค

- 5.2.1 รายละเอียดคุณลักษณะเฉพาะของพัสดุ ที่เสนอขายต้องตรงกับความต้องการของทางบริษัทฯ
- 5.2.2 หากไม่มีเอกสารหลักฐานประกอบการพิจารณาตามข้อ 5.2.1 ทางบริษัทฯ ขอสงวนสิทธิ์ที่จะไม่รับไว้พิจารณา

6. ข้อกำหนดในการส่งมอบ

- 6.1 ผู้ขายต้องส่งมอบ Galley Equipment ซึ่งมีรายละเอียดคุณลักษณะเฉพาะตามที่ทางบริษัทฯ กำหนดไว้ตามผนวก ก
- 6.2 ผู้ขายต้องมีเอกสารฉบับจริงรับรองว่า พักตร์ที่ส่งมอบเป็นของใหม่ ไม่เป็นของเก่าเก็บ ไม่เคยใช้งานมาก่อน อยู่ในสภาพใช้งานได้ทันทีทุกรายการของการจัดซื้อครั้งนี้
- 6.3 ผู้ขายต้องส่งมอบเอกสารต่างๆ รายละเอียดตามที่ระบุไว้ในผนวก ก ข้อ 3

7. ระยะเวลาดำเนินการ

ส่งมอบให้แล้วเสร็จภายใน 45 (สี่สิบห้า) วัน นับถัดจากวันที่ได้รับใบสั่งซื้อหรือวันลงนามในสัญญา

8. การรับประกันการชำรุดบกพร่อง

- 8.1 ผู้ขายต้องให้การรับประกันพัสดุตามมาตรฐานของบริษัทผู้ผลิต แต่ต้องไม่น้อยกว่า 365 (สามร้อยหกสิบห้า) วัน นับถัดจากวันที่ส่งมอบพัสดุให้กับทางบริษัทฯ หากเกิดการชำรุด และ/หรือเสียหายระหว่างใช้งานตามปกติภายในระยะเวลาประกัน ผู้ขายต้องมาเริ่มดำเนินการภายใน 7 (เจ็ด) วัน หลังจากที่ได้รับแจ้งจาก

8. การรับประกันการชำรุดบกพร่อง

8.1 ผู้ขายต้องให้การรับประกันพัสดุตามมาตรฐานของบริษัทผู้ผลิต แต่ต้องไม่น้อยกว่า 365 (สามร้อยหกสิบห้า) วัน นับถัดจากวันที่ส่งมอบพัสดุให้กับทางบริษัทฯ หากเกิดการชำรุด และ/หรือเสียหายระหว่างใช้งานตามปกติภายในระยะเวลาประกัน ผู้ขายต้องมาเริ่มดำเนินการภายใน 7 (เจ็ด) วัน หลังจากที่ได้รับแจ้งจากทางบริษัทฯ โดยไม่คิดค่าใช้จ่ายเพิ่มเติมใด ๆ ทั้งสิ้น ทั้งนี้ ในการซ่อมหากไม่สามารถดำเนินการแก้ไขให้สามารถใช้งานได้ภายใน 30 (สามสิบ) วัน ผู้ขายต้องนำพัสดุนำมาให้ทางบริษัทฯ ใช้ทดแทนพัสดุที่ชำรุด และ/หรือเสียหาย จนกว่าจะสามารถดำเนินการแก้ไขให้แล้วเสร็จ และสามารถใช้งานได้ดังเดิมโดยไม่คิดค่าใช้จ่ายเพิ่มเติมใด ๆ ทั้งสิ้น ในกรณีที่ผู้ขายต้องจัดส่งพัสดุใหม่ทดแทนของเก่าที่ชำรุด และ/หรือเสียหายให้แก่ทางบริษัทฯ ให้ส่งพัสดุภายใน 45 (สี่สิบห้า) วัน นับถัดจากวันที่ได้รับแจ้งการชำรุด และ/หรือเสียหายจากทางบริษัทฯ โดยไม่คิดค่าใช้จ่ายเพิ่มเติมใด ๆ ทั้งสิ้น

8.2 ภายในระยะเวลาประกัน เมื่อผู้ขายได้รับแจ้งจากทางบริษัทฯ ว่าพัสดุนั้นเกิดการชำรุด และ/หรือเสียหายระหว่างใช้งานตามปกติ และผู้ขายไม่มาดำเนินการภายในระยะเวลาที่ทางบริษัทฯ กำหนดไว้ตามข้อ 8.1 ทางบริษัทฯ ขอสงวนสิทธิ์ที่จะจ้างบริษัท/ห้าง/ร้าน หรือบุคคลอื่นมาทำการแก้ไข โดยผู้ขายต้องเป็นผู้ออกค่าใช้จ่ายทั้งสิ้น

9. บทปรับ

หากผู้ขายไม่สามารถส่งสิ่งของได้ทันตามที่ทางบริษัทฯ กำหนด ผู้ขายต้องชำระค่าปรับให้ผู้ซื้อเป็นรายวัน ในอัตราร้อยละ 0.2 (ศูนย์จุดสอง) ของราคาของที่ยังไม่ส่งมอบ นับแต่วันถัดจากวันครบกำหนดส่งมอบตามสัญญาที่ได้ทำไว้กับทางบริษัทฯ จนถึงวันที่ผู้ขายได้นำสิ่งของมาส่งมอบให้จนถูกต้องครบถ้วน หากค่าปรับมีมูลค่าเกินร้อยละ 10 (สิบ) ของมูลค่าสัญญา บริษัทฯ คงสิทธิ์ที่จะยกเลิกสัญญา

10. หลักประกันสัญญา

ผู้ขายจะต้องนำหลักประกันสัญญามูลค่าร้อยละ 5 (ห้า) ของมูลค่าสัญญามามอบไว้เป็นหลักประกันแก่บริษัทฯ ในวันทำสัญญา

11. เงื่อนไขการชำระเงิน

ผู้ซื้อจะชำระเงิน เมื่อผู้ขายได้ส่งมอบสินค้าให้กับทางบริษัทฯ และคณะกรรมการตรวจรับได้ตรวจรับไว้เป็นที่เรียบร้อยแล้ว

12. ระยะเวลาขึ้นราคา

ราคาที่เสนอ ต้องขึ้นราคา 60 (หกสิบ) วัน นับตั้งแต่วันที่เสนอราคา

.....

ผนวก ก

รายละเอียดคุณลักษณะเฉพาะ (Technical Requirement Specification)

อุปกรณ์ห้องครัว (Galley Equipment)

1. สิ่งที่ต้องการ

1.1 Galley Room as per DWG. OPV2-650.00.0

- | | |
|---|-------------|
| 1.1.1 Work cabinet as per DWG. OPV2-650.00.1 | จำนวน 1 ชุด |
| 1.1.2 Sink cabinet with hinge door as per DWG. OPV2-650.00.2 | จำนวน 1 ชุด |
| 1.1.3 Work cabinet with hinge door as per DWG. OPV2-650.00.3 | จำนวน 1 ชุด |
| 1.1.4 Work cabinet with slide & hinge door as per DWG. OPV2-650.00.4 | จำนวน 1 ชุด |
| 1.1.5 Equipment stand with under shelf & cupboard as per DWG. OPV2-650.00.5 | จำนวน 1 ชุด |
| 1.1.6 Locker as per DWG. OPV2-650.00.6 | จำนวน 1 ชุด |
| 1.1.7 Work cabinet with slide door & cupboard as per DWG. OPV2-650.00.7 | จำนวน 2 ชุด |

1.2 Serveries Room 01 as per DWG. OPV2-650.01.0

- | | |
|---|-------------|
| 1.2.1 Work cabinet as per DWG. OPV2-650.01.1 | จำนวน 1 ชุด |
| 1.2.2 Sink cabinet with hinge & slide door & cupboard as per DWG. OPV2-650.01.2 | จำนวน 1 ชุด |
| 1.2.3 Work cabinet with slide door & cupboard as per DWG. OPV2-650.01.3 | จำนวน 2 ชุด |

1.3 Serveries Room 02 as per DWG. OPV2-650.02.0

- | | |
|---|-------------|
| 1.3.1 Work cabinet with slide door & cupboard as per DWG. OPV2-650.02.1 | จำนวน 1 ชุด |
| 1.3.2 Sink cabinet with hinge & slide door & cupboard as per DWG. OPV2-650.02.2 | จำนวน 1 ชุด |
| 1.3.3 Locker as per DWG. OPV2-650.02.3 | จำนวน 1 ชุด |

2. ขอบเขตงาน (Scope of Work)

2.1 Work Cabinet as per DWG. No. OPV2-650.00.1

General Specification

Size: 600W x 1400L x 850H mm + 140 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent
Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

2.2 Sink Cabinet with hinge door as per DWG. No. OVP2-650.00.2

General Specification

2.2.1 Cabinet

Size: 700W x 1760L x 850H mm + 600 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

All handles is to stainless steel round bar

2.2.2 Sink

Size: 500W x 500L x 300H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

3 Swivel single faucet

3 Drain w/over flow

2.2.3 Cupboard

Size: 400W x 1760L x 400H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

All handles is to be stainless steel round bar. (OD 12.7 mm)

2.3 Work Cabinet with hinge door as per DWG. No. OPV2-650.00.3

General Specification

Size: 800W x 500L x 850H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

All handles is to be stainless steel round bar. (OD 12.7 mm)

2.4 Work Cabinet with slide & hinge door as per DWG. No. OPV2-650.00.4

General Specification

Size: 700W x 2150L x 850H mm + 300 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

All handles is to be stainless steel round bar. (OD 12.7 mm)

2.5 Equipment stands with under shelf & cupboard as per DWG. No. OPV2-650.00.5

General Specification

2.5.1 Equipment stand

Size: 700W x 1200L x 800H mm + 600 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (38.1 mm)

Guard railing make of stainless steel tube. (12.7 mm)

2.5.2 Cupboard

Size: 400W x 1200L x 400H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

2.6 Locker as per DWG. No. OPV2-650.00.6

General Specification

Size: 500W x 800L x 1750H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

2.7 Work Cabinet with slide door & cupboard as per DWG. No. OPV2-650.00.7

General Specification

2.7.1 Cabinet (slide/hinge)

Size: 700W x 2050L x 850H mm + 600 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

2.7.2 Cupboard (slide/hinge)

Size: 400W x 2100L x 400H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

2.8 Work Cabinet as per DWG. No. OPV2-650.01.1

General Specification

Size: 500W x 900L x 850H mm + 140 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent
Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

2.9 Sink Cabinet with hinge & slide door & cupboard as per DWG. No. OVP2-650.01.2

General Specification

2.9.1 Cabinet

Size: 700W x 2000L x 850H mm + 600 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent
Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

All handles is to stainless steel round bar

2.9.2 Sink

Size: 500W x 500L x 300H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent
Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

3 Swivel single faucet

3 Drain w/over flow

2.9.3 Cupboard

Size: 400W x 2000L x 400H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent
Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

All handles is to be stainless steel round bar. (OD 12.7 mm)

2.10 Work Cabinet with slide door & cupboard as per DWG. No. OPV2-650.01.3

General Specification

2.10.1 Cabinet

Size: 700W x 1750L x 850H mm + 600 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

2.10.2 Cupboard

Size: 400W x 1750L x 400H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

All handles is to be stainless steel round bar. (OD 12.7 mm)

2.11 Work Cabinet with slide door & cupboard as per DWG. No. OPV2-650.02.1

General Specification

2.11.1 Cabinet

Size: 700W x 1750L x 850H mm + 600 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

2.11.2 Cupboard

Size: 400W x 1750L x 400H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

All handles is to be stainless steel round bar. (OD 12.7 mm)

2.12 Sink Cabinet with hinge & slide door & cupboard as per DWG. No. OVP2-650.02.2

General Specification

2.12.1 Cabinet

Size: 700W x 1600L x 850H mm + 600 mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

All handles is to stainless steel round bar

2.12.2 Sink

Size: 500W x 500L x 300H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

1 Swivel single faucet

1 Drain w/over flow

2.12.3 Cupboard

Size: 400W x 1600L x 400H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

All handles is to be stainless steel round bar. (OD 12.7 mm)

2.13 Locker as per DWG. No. OPV2-650.02.3

General Specification

Size: 440W x 800L x 1750H mm

Material: Top plate is to be stainless steel AISI 304 (16 Gauge) or equivalent

Structure, Shelf & Other is to be stainless steel AISI 304 (18 Gauge) or equivalent

Support leg shall be adjustable and make of stainless steel tube. (150 mm)

Design

Confirm design before start production by the buyer

3. เอกสารทางเทคนิค (Documentation)

3.1 หนังสือคู่มือการใช้งานและบำรุงรักษา (Instruction Manual for Operating and Maintenance) (ถ้ามี)

3.2 หนังสือรายการอะไหล่และอุปกรณ์ (Part Lists) (ถ้ามี)

3.3 เอกสารรับรองผลิตภัณฑ์จากผู้ผลิต (Certificate of material)

4. รายการอะไหล่และวัสดุสิ้นเปลือง(Spare part and Consumable)


4.1 รายการอะไหล่ตามมาตรฐานผู้ผลิต (ถ้ามี)

5. สิ่งที่ต้องส่งมาด้วย (Attach Document)

5.1 DWG. OPV2-650.00.0 – OPV2-650.00.7 จำนวน 8 แผ่น


5.2 DWG. OPV2-650.01.0 – OPV2-650.01.3 จำนวน 4 แผ่น

5.3 DWG. OPV2-650.02.0 – OPV2-650.02.3 จำนวน 4 แผ่น



2	MODIFY GALLEY HOODS		ARY	10.04.17
1	AS PER OWNER COMMENTS		ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT		ARY	01.11.16
REV.	MODIFICATION		BY	DATE


 The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Bangkok 10120 Thailand	CLIENT:  ROYAL THAI NAVY			
	YARD: MAHIDOL NAVAL DOCKYARD			
REV. _____ THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.	OWNER / CLIENT	CLASS	YARD	APPROVED / REVIEWED
	DRAWN: ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL	
	CHKD: KKK	TITLE:	GALLEY LAYOUT PLAN	
	APPD: PNR			
	VAULT No:	DWG.No:	OPV2-650,00.0	REV: 2 SHEET: 1/8 SCALE: 1:5 A3




ISOMETRIC VIEW

General Specification


1. Size (WxLxH) in mm. : 600 x 1400 x 850 + (140)
2. Material : Top plate is to be stainless steel
AISI 304 or equivalent,(GAUGE NO.16)
: Intermediate and bottom shelf are to be
stainless steel AISI 304 or equivalent,(GAUGE NO.18)
: Body is to be stainless steel AISI 304 or equivalent,(GAUGE NO.20)
3. Support legs shall be adjustable and make of stainless steel tube. (150 mm.)



SIDE VIEW



TOP VIEW



FRONT VIEW

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Bangkok 10120 Thailand		CLIENT: ROYAL THAI NAVY YARD: MAHIDOL NAVAL DOCKYARD	

REV	OWNER/ CLIENT	CLASS	YARD	APPROVED/ REVIEWED	DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL	CLASS:
TITLE: WORK CABINET					CHKD:	KKX			
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.					APPD:	PNR			
DWG.No: OPV2-650.00.1					VAULT No:		REV.: 1	SHEET: 2/8	SCALE: 1:3
									A3

General Specification

Cupboard

1. - Size (WxLxH) in mm. : 400 x 1760 x 400
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Intermediate and bottom shelf are to be stainless steel AISI 304 or equivalent.(GAUGE NO.18)
- : Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)
- Flush handles is to be stainless steel.

Wall Stainless

2. - Size (WxLxH) in mm. : 610 x 1760 x 40
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)


Corbinet

3. - Size (WxLxH) in mm. : 700 x 1760 x 850 + (140)
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Intermediate and bottom shelf are to be stainless steel AISI 304 or equivalent.(GAUGE NO.18)
- : Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)

- Flush handles is to be stainless steel.
- Support legs shall be adjustable and make of stainless steel tube, (150 mm.)

Sink


- Size (WxLxH) in mm. : 500 x 500 x 300
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)
- 3 Swivel single faucet.
- 3 Drain w/over flow




ISOMETRIC VIEW




SIDE VIEW



TOP VIEW




FRONT VIEW




TOP VIEW




SIDE VIEW




FRONT VIEW



SIDE VIEW



TOP VIEW




FRONT VIEW


1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road, Yannawa Bangkok 10120 Thailand		CLIENT:  ROYAL THAI NAVY YARD: MAHIDOL NAVAL DOCKYARD	
DRAWN: ARY		PROJECT No.:	
CHKD: KKK		TITLE:	
APPD: PNR		CLASS:	
VAULT No:		DWG.No:	
		REV: 1	
		SHEET: 3/8	
		SCALE: 1:3	
		A3	

SINK CABINET WITH
HINGE DOOR & CUPBOARD


THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND
REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT
TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY
FOR ANY PURPOSE WITHOUT PRIOR WRITTEN CONSENT.




ISOMETRIC VIEW



TOP VIEW



FRONT VIEW




SIDE VIEW

General Specification


1. Size (WxLxH) in mm. : 800 x 500 x 850 + (140)
2. Material : Top plate is to be stainless steel
AISI 304 or equivalent.(GAUGE NO.16)
: Intermediate and bottom shelf are to be
stainless steel AISI 304 or equivalent.(GAUGE NO.18)
: Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)
3. Support legs shall be adjustable and made of stainless steel tube. (150 mm.)
4. Flush handles is to be stainless steel round bar. (OD 12.7 mm.)

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited. 174/1 Charankrung Road Yonawee Bangkok 10120 Thailand		CLIENT: ROYAL THAI NAVY	
		YARD: MAHIDOL NAVAL DOCKYARD	
DRAWN: ARY		PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL CLASS:
CHKD: KKK		TITLE: WORK CABINET WITH HINGE DOOR	
APPD: PNR		DWG.No: OPV2-650.00.3	
VAULT No:		REV: 1	SHEET: 4/8 SCALE: 1:3 A3

THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS CONFIDENTIAL AND REMAINS THE PROPERTY OF BANGKOK DOCK CO., LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WITHOUT PRIOR WRITTEN CONSENT.




TOP VIEW




ISOMETRIC VIEW

General Specification

1. Size (WxLxH) in mm. : 700 x 2150 x 850 + (140)
2. Material : Top plate is to be stainless steel
 : Intermediate and bottom shelf are to be stainless steel AISI 304 or equivalent.(GAUGE NO.18)
 : Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)
3. Support legs shall be adjustable and made of stainless steel tube. (150 mm.)
4. Flush handles is to be stainless steel round bar. (OD 12.7 mm.)




SIDE VIEW




FRONT VIEW

1	AS PER OWNET COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited 174/1 Charoenkrung Road Bangkok 10120 Thailand		CLIENT:  ROYAL THAI NAVY	
		YARD: MAHIDOL NAVAL DOCKYARD	
DRAWN: ARY		PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL CLASS:
CHKD: KKK		TITLE: WORK CABINET WITH SLIDE & HINGE DOOR	
APPD: PNR		DWG.No:	OPV2-650.00.4
VAULT No:		REV.: 1	SHEET: 5/8
			A3


REV	OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WITHOUT PRIOR WRITTEN CONSENT.				




SIDE VIEW




TOP VIEW




FRONT VIEW




SIDE VIEW



TOP VIEW



FRONT VIEW



ISOMETRIC VIEW

General Specification

Cupboard


- 1. - Size (WxLxH) in mm. : 400 x 1200 x 400
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Intermediate and bottom shelf are to be stainless steel AISI 304 or equivalent.(GAUGE NO.16)
- : Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)
- Flush handles is to be stainless steel.

Wall Stainless

- 2. - Size (WxLxH) in mm. : 750 x 1200 x 40
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)


Carbinet

- 3. - Size (WxLxH) in mm. : 700 x 1200 x 750
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Intermediate and bottom shelf are to be stainless steel AISI 304 or equivalent.(GAUGE NO.16)
- : Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)
- Flush handles is to be stainless steel.



FRONT VIEW


SIDE VIEW




TOP VIEW

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Yonnawa Bangkok 10120 Thailand		CLIENT: ROYAL THAI NAVY	
		YARD: MAHIDOL NAVAL DOCKYARD	
DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL
CHKD:	KKK	TITLE:	EQUIPMENT STAND WITH UNDER SHELF & CUPBOARD
APPD:	PNR	DWG.No:	OPV2-650.00.5
VAULT No:		REV.:	1
		SHEET:	6/8
		SCALE:	1:3
			A3


REV	OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.				




ISOMETRIC VIEW



TOP VIEW



FRONT VIEW




SIDE VIEW

General Specification


- 1. - Size (WxLxH) in mm. : 500 x 800 x 1750
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Intermediate and bottom shelf are to be stainless steel AISI 304 or equivalent.(GAUGE NO.16)
- : Body is to be stainless steel AISI 304 or equivalent (GAUGE NO.20)

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Yonnawa Bangkok 10120 Thailand		CLIENT: ROYAL THAI NAVY	
		YARD: MAHIDOL NAVAL DOCKYARD	
DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL
CHKD:	KKK	TITLE:	LOCKER
APPD:	PNR	DWG.No:	OPV2-650.00.6
VAULT No:		REV.:	1
		SHEET:	7/8
		SCALE:	1:3
			A3


REV	OWNER / CLIENT	CLASS	YARD	APPROVED / REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.				




ISOMETRIC VIEW




TOP VIEW




FRONT VIEW




SIDE VIEW




TOP VIEW




FRONT VIEW




SIDE VIEW



TOP VIEW



FRONT VIEW



SIDE VIEW

General Specification

Cupboard (Slide hinge)

1. - Size (WxLxH) in mm. : 400 x 2040 x 400

- Material : Top plate is to be stainless steel

AISI 304 or equivalent.(GAUGE NO.16)

: Intermediate and bottom shelf are to be

stainless steel AISI 304 or equivalent.(GAUGE NO.16)

: Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)

- Flush handles is to be stainless steel.

Wall Stainless

2. - Size (WxLxH) in mm. : 610 x 2040 x 40

- Material : Top plate is to be stainless steel

AISI 304 or equivalent.(GAUGE NO.16)

Cabinet (Slide hinge)

3. - Size (WxLxH) in mm. : 700 x 2040 x 990 + (140)

- Material : Top plate is to be stainless steel

AISI 304 or equivalent.(GAUGE NO.16)

: Intermediate and bottom shelf are to be

stainless steel AISI 304 or equivalent.(GAUGE NO.16)


: Body is to be stainless steel AISI 304 or equivalent.(GAUGE NO.20)

- Flush handles is to be stainless steel.

- Support legs shall be adjustable and make of stainless steel tube. (150 mm)

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Yonrawa Bangkok 10120 Thailand		CLIENT:	ROYAL THAI NAVY
		YARD:	MAHIDOL NAVAL DOCKYARD
DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL CLASS:
CHKD:	KKK	TITLE:	WORK CABINET WITH
APPD:	PNR		SLIDE DOOR & CUPBOARD
VAULT No:		DWG.No:	OPV2-650.00.7
		REV.:	1
		SHEET:	8/8
		SCALE:	1:3
			A3

THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO., LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.



ITEM	DESCRIPTION	SIZE (WxDxH)	QTY
1	WORK CABINET	500 x 900 x 850 + (140)	1
2	SINK CABINET WITH HINGE & SLIDE DOOR & CUPBOARD	700 x 1950 x 2000	1
3	WORK CABINET WITH SLIDE DOOR & CUPBOARD	700 x 1730 x 2000	2

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE



The Bangkok Dock Company (1957) Limited.
174/1 Choenkrung Road Yomwong
Bangkok 10120
Thailand

CLIENT:
ROYAL THAI NAVY

YARD:
MAHIDOL NAVAL DOCKYARD

DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL	CLASS:
CHKD:	KKK	TITLE:	SERVERY 01 LAYOUT PLAN	
APPD:	PNR	DWG.No:	OPV2-650.01.0	REV: 0
VALUT No:		SHEET:	1/4	SCALE: 1:3


OWNER/CLIENT

CLASS


YARD

APPROVED/REVIEWED


THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT




ISOMETRIC VIEW



TOP VIEW



FRONT VIEW



SIDE VIEW

General Specification

- 1. Size (WxLxH) in mm. : 500 x 900 x 850 + (140)
- 2. Material : Top plate is to be stainless steel
AISI 304 or equivalent.(GAUGE NO.16)
: Structure,Shelf & Other is to be
stainless steel AISI 304 or equivalent.(GAUGE NO.16)
- 3. Support legs shall be adjustable and make of stainless steel tube. (150 mm.)

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Yonkwa Bangkok 10120 Thailand		CLIENT: ROYAL THAI NAVY	
		YARD: MAHIDOL NAVAL DOCKYARD	
DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL CLASS:
CHKD:	KKK	TITLE:	
APPD:	PNR	WORK CABINET	
VAULT No:		DWG.No:	OPV2-650.01.1
		REV:	1
		SHEET:	2/4
		SCALE:	1:3

REV	OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.				

General Specification

Cabinet

1. - Size (WxLxH) in mm. : 700 x 1950 x 850 + (500)

- Material : Top plate is to be stainless steel

AISI 304 or equivalent.(GAUGE NO.16)

: Structure,Shelf & Other is to be

stainless steel AISI 304 or equivalent.(GAUGE NO.16)

- Support legs shall be adjustable and made of stainless steel tube. (150 mm.)

- All handles is to be stainless steel round bar. (OD 12.7 mm)

Sink

2. - Size (WxLxH) in mm. : 500 x 500 x 300

- Material : Top plate is to be stainless steel

AISI 304 or equivalent.(GAUGE NO.16)

: Structure,Shelf & Other is to be

stainless steel AISI 304 or equivalent.(GAUGE NO.18)

- 1 Swivel single faucet

- 1 Drain w/over flow

Cupboard

3. - Size (WxLxH) in mm. : 400 x 1950 x 400


- Material : Top plate is to be stainless steel

AISI 304 or equivalent.(GAUGE NO.16)


: Structure,Shelf & Other is to be

stainless steel AISI 304 or equivalent.(GAUGE NO.18)


- All handles is to be stainless steel round bar. (OD 12.7 mm)




ISOMETRIC VIEW



TOP VIEW



SIDE VIEW




FRONT VIEW


1	AS PER OWNER COMMENTS	1	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT		ARY	01.11.16
REV.	MODIFICATION		BY	DATE

		CLIENT: The Bangkok Dock Company (1957) Limited, 174/1 Charoenkrung Road Yonnawa Bangkok 10120 Thailand		ROYAL THAI NAVY	
DRAWN: ARY		PROJECT No.:		ROYAL THAI NAVY OFFSHORE PATROL VESSEL CLASS:	
CHKD: KKK		TITLE:		SINK CABINET WITH HINGE & SLIDE DOOR & CUPBOARD	
APPD: PNR		DWG No.:		OPV2-650.01.2	
VAULT No.:		REV.:		1/3	
		SHEET:		3/4	
		SCALE:		1:3	


THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND
REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT
TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY
FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.




TOP VIEW



ISOMETRIC VIEW



FRONT VIEW



SIDE VIEW

General Specification

Cabinet

1. - Size (WxLxH) in mm. : 700 x 1730 x 850 + (600)

- Material : Top plate is to be stainless steel

 : Structure, Shelf & Other is to be

 : stainless steel AISI 304 or equivalent.(GAUGE NO.16)

 : Support legs shall be adjustable and made of stainless steel tube. (150 mm.)

Cupboard

2. - Size (WxLxH) in mm. : 400 x 1730 x 400

- Material : Top plate is to be stainless steel

 : Structure, Shelf & Other is to be

 : stainless steel AISI 304 or equivalent.(GAUGE NO.16)

 : stainless steel AISI 304 or equivalent.(GAUGE NO.18)

- All handles is to be stainless steel round bar. (ØD 12.7 mm)

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE


CLIENT: THE BANGKOK DOCK COMPANY (1957) LIMITED.
174/1 Charoenkrung Road Yarmbwa
Bangkok 10120
Thailand

YARD: MAHIDOL NAVAL DOCKYARD

ROYAL THAI NAVY

DRAWN: ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL	CLASS:
CHKD: KKK	TITLE:	WORK CABINET WITH	
APPD: PNR		SLIDE DOOR & CUPBOARD	
VAULT No:	DWG.No:	OPV2-650.01.3	REV.: 1 SHEET: 1/3

REV	OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.				



ITEM	DESCRIPTION	SIZE (WxDxH)	QTY
1	WORK CABINET WITH SLIDE DOOR & CUPBOARD	700 x 1750 x 2000	1
2	SINK CABINET WITH HINGE & SLIDE DOOR & CUPBOARD	700 x 1600 x 2000	1
3	REFRIGERATOR		1
4	LOCKER	800 x 440 x 2000	1


1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE

 The Bangkok Dock Company (1957) Limited 174/1 Charoenkrung Road Yonngwe Bangkok 10120 Thailand	CLIENT:	ROYAL THAI NAVY
	YARD:	MAHIDOL NAVAL DOCKYARD


OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL	CLASS:
REV				TITLE:		
				CHKD:	KKK	
				APPD:	PNR	
				VAULT No:		

DWG.No:	OPV2-650.02.0	REV.:	1	SHEET:	1/4	SCALE:	1:3
---------	---------------	-------	---	--------	-----	--------	-----


THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.




TOP VIEW



ISOMETRIC VIEW



FRONT VIEW



SIDE VIEW

General Specification

Cabinet

- 1. - Size (WxLxH) in mm. : 700 x 1750 x 850 + (800)
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Structure,Shelf & Other is to be stainless steel AISI 304 or equivalent.(GAUGE NO.18)
- Support legs shall be adjustable and made of stainless steel tube. (150 mm.)

Cupboard

- 2. - Size (WxLxH) in mm. : 400 x 1750 x 400
- Material : Top plate is to be stainless steel
- AISI 304 or equivalent.(GAUGE NO.16)
- : Structure,Shelf & Other is to be stainless steel AISI 304 or equivalent.(GAUGE NO.18)
- All handles is to be stainless steel round bar. (OD 12.7 mm)

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
The Bangkok Dock Company (1957) Limited. 174/71 Charoenkrung Road Yonawa Bangkok 10120 Thailand		CLIENT:	ROYAL THAI NAVY
		YARD:	MAHIDOL NAVAL DOCKYARD
DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL
CHKD:	KKK	TITLE:	WORK CABINET WITH
APPD:	PNR		SLIDE DOOR & CUPBOARD
VAULT No:		DWG.No:	OPV2-850.02.1
		REV.:	1 SHEET: 2/4
		SCALE:	1:3

REV	OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT				

General Specification

Cabinet

1. - Size (WxLxH) in mm. : 700 x 1600 x 850 + (600)

- Material : Top plate is to be stainless steel

AISI 304 or equivalent.(GAUGE NO.16)

: Structure,Shelf & Other is to be

stainless steel AISI 304 or equivalent.(GAUGE NO.16)

- Support legs shall be adjustable and make of stainless steel tube. (150 mm.)

- All handles is to be stainless steel round bar. (OD 12.7 mm)

Sink

2. - Size (WxLxH) in mm. : 500 x 500 x 300

- Material : Top plate is to be stainless steel

AISI 304 or equivalent. (GAUGE NO.16)

: Structure,Shelf & Other is to be

stainless steel AISI 304 or equivalent. (GAUGE NO.16)

- 1 Swivel single faucet.

- 1 Drain w/over flow

Cupboard

3. - Size (WxLxH) in mm. : 400 x 1600 x 400


- Material : Top plate is to be stainless steel

AISI 304 or equivalent. (GAUGE NO.16)


: Structure,Shelf & Other is to be

stainless steel AISI 304 or equivalent. (GAUGE NO.16)


- All handles is to be stainless steel round bar. (OD 12.7 mm)




ISOMETRIC VIEW



TOP VIEW




SIDE VIEW




FRONT VIEW

0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Yama Bangkok 10120 Thailand		CLIENT: ROYAL THAI NAVY YARD: MAHIDOL NAVAL DOCKYARD	
DRAWN: ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL	CLASS:
CHKD: KKK	TITLE:	SINK CABINET WITH HINGE & SLIDE DOOR & CUPBOARD	
APPD: PNR	DWG.No:	OPV2-650.02.2	REV: 1
VAULT No:	SHEET: 3/4	SCALE: 1:3	A3


REV	OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.				




ISOMETRIC VIEW



TOP VIEW



FRONT VIEW



SIDE VIEW

General Specification

1. — Size (WxLxH) in mm. : 440 x 800 x 1750

— Material : Top plate is to be stainless steel

AISI 304 or equivalent. (GAUGE NO.16)

: Structure,Shelf & Other is to be

stainless steel AISI 304 or equivalent. (GAUGE NO.18)

— Support legs shall be adjustable and made of stainless steel tube. (150 mm.)

1	AS PER OWNER COMMENTS	ARY	24.02.17
0	AS PER GENERAL ARRANGEMENT	ARY	01.11.16
REV.	MODIFICATION	BY	DATE
 CLIENT: ROYAL THAI NAVY YARD: MAHIDOL NAVAL DOCKYARD The Bangkok Dock Company (1957) Limited. 174/1 Charoenkrung Road Yonnawa Bangkok 10120 Thailand PROJECT No.: ROYAL THAI NAVY OFFSHORE PATROL VESSEL TITLE: LOCKER DWG.No: OPV2-650.02.3 REV.: 1 SHEET: 4/4 SCALE: 1:3			
DRAWN:	ARY	PROJECT No.:	ROYAL THAI NAVY OFFSHORE PATROL VESSEL
CHKD:	KKK	TITLE:	LOCKER
APPD:	PNR	DWG.No:	OPV2-650.02.3
VAULT No:		REV.:	1
OWNER/CLIENT	CLASS	YARD	APPROVED/REVIEWED
THIS DOCUMENT AND THE INFORMATION IT CONTAINS IS COPYRIGHT AND REMAINS THE PROPERTY OF BANGKOK DOCK CO. LTD. IT IS NOT TO BE COPIED IN WHOLE OR IN PART OR DISCLOSED TO ANY THIRD PARTY FOR ANY PURPOSE WHATSOEVER WITHOUT PRIOR WRITTEN CONSENT.			